The Botanical Gazette

BARBARA F. PALSER · *EDITOR*

VOLUME 126

THE UNIVERSITY OF CHICAGO PRESS
CHICAGO · ILLINOIS

COPYRIGHT BY THE UNIVERSITY OF CHICAGO

PUBLISHED
MARCH, JUNE, SEPTEMBER, DECEMBER, 1965

COMPOSED AND PRINTED BY THE UNIVERSITY OF CHICAGO
PRESS, CHICAGO, ILLINOIS, U.S.A.

TABLE OF CONTENTS

1–13 ON NATURE OF INTERCALARY GROWTH AND CELLULAR DIFFERENTIATION IN INTERNODES OF *AVENA SATIVA*
Peter B. Kaufman, Sandra J. Cassell, and Paul A. Adams

13–19 TRANSPORT OF INDOLEACETIC ACID IN PEDICELS OF TOMATO AND ITS RELATION TO FRUIT GROWTH
K. S. Krishna Sastry and Robert M. Muir

20–26 CHANGES IN MOISTURE CONTENTS AND DRY WEIGHTS OF BUDS AND LEAVES OF FOREST TREES
Theodore T. Kozlowski and J. Johanna Clausen

27–30 MOBILITY OF BORON IN SEVERAL DICOTYLEDONOUS SPECIES
Wayne J. McIlrath

31–35 FLUCTUATIONS IN PEEL TISSUE COMPONENTS AND ENZYMATIC ACTIVITIES OF SHAMOUTI ORANGE FRUITS DURING A 24-HOUR CYCLE
R. Goren and S. P. Monselise

36–40 GENETICS OF PHYTOPATHOGENIC FUNGI. XIII. PECTOLYTIC AND CELLULOLYTIC ENZYMES OF THREE PHYTOPATHOGENIC *PENICILLIA*
E. D. Garber, L. Beraha, and Susan G. Shaeffer

40–45 PECTINASE AND CELLULASE ENZYME INHIBITOR FROM SERICEA AND CERTAIN OTHER PLANTS
Thomas A. Bell, John L. Etchells, and William W. G. Smart, Jr.

46–52 GAMETOPHYTES AND JUVENILE LEAVES OF DRYNARIOID FERNS
B. K. Nayar

53–58 EPIDERMAL SILICA CELLS IN THE CYPERACEAE
P. N. Mehra and O. P. Sharma

58–66 EMBRYOLOGY OF *MIMULUS RINGENS*
Govindappa D. Arekal

66–72 EFFECTS OF PEROXYACETYL NITRATE ON ULTRASTRUCTURE OF CHLOROPLASTS
William W. Thomson, W. M. Dugger, Jr., and R. L. Palmer

72–78 MEIOSIS AND SPOROGENESIS IN EXCISED FERN LEAVES GROWN IN STERILE CULTURE
Mary E. Clutter and Ian M. Sussex

79–85 DEVELOPMENT AND STRUCTURE OF CAROTENE BODIES IN CARROT ROOTS
Yehuda Ben-Shaul and Shimon Klein

86–96 CONSIDERATIONS IN THE USE OF SURFACTANTS IN PLANT SYSTEMS: A REVIEW
J. F. Parr and A. G. Norman

97–100 OPPOSITE EFFECTS OF GALACTURONIC ACID ON INITIAL VERSUS SUBSEQUENT ELONGATION OF SEMINAL ROOTS OF GERMINATING WHEAT
Terrill J. Long and Alan H. Haber

100–107 TWO TYPES OF GROWTH INHIBITORS IN EXTRACTS OF *UMBILICARIA PAPULOSA*
Erston V. Miller, Claibourne E. Griffin, Thomas Schaefers, and Myra Gordon

108–115 ROOT-PRESSURE EXUDATION IN WOODY PLANTS
James W. O'Leary

116–119 SODIUM AND POTASSIUM ACCUMULATION BY GREASEWOOD AND HOPSAGE LEAVES
W. H. Rickard

120–123 SULFUR BIOASSAY INVESTIGATIONS WITH *ASPERGILLUS NIGER*
M. I. Katto and J. Q. Lynd

123–130 DEVELOPMENT AND CYTOLOGY OF *PREUSSIA TYPHARUM*
Donald T. Kowalski

130–133 THE GENUS *COLLINSIA*. XXV. ADDITIONAL EVIDENCE FOR PREFERENTIAL PAIRING IN TWO AMPHIDIPLOIDS AND TWO TRIPLOID INTERSPECIFIC HYBRIDS
E. D. Garber

133–136 THE GENUS *COLLINSIA*. XXIV. TAXONOMIC STATUS OF *C. STRICTA* GREENE
E. D. Garber and M. K. Unni

137–144 MORPHOLOGICAL AND ANATOMICAL STUDIES IN HELOBIAE. II. VASCULAR ANATOMY OF THE FLOWER OF POTAMOGETONACEAE
V. Singh

144–148 NECTAR SYSTEM OF *ASCLEPIAS CURASSAVICA*
J. Galil and M. Zeroni

149–154 CYTOLOGICAL CHIMAERAS IN ROOTS OF *VICIA FABA*
D. Davidson

155–163 SOIL RELATIONS AND DISTRIBUTION MAP OF THE VEGETATION OF PRESETTLEMENT INDIANA
Alton A. Lindsey, William B. Crankshaw, and Syed A. Qadir

163–166 RELIEF OF RADIATION-INDUCED DORMANCY IN SEEDS OF *PHACELIA TANACETIFOLIA*
Walter T. McDonough

167–174 QUANTITATIVE STUDIES OF NUCLEIC ACIDS IN CONTRASTING ZONES OF TISSUE DIFFERENTIATION IN GERMINATING MIMOSA SEEDLINGS
Gregory N. Brown and Aubrey W. Naylor

174–179 GROWTH, CARBON DIOXIDE EXCHANGE, TRANSPIRATION, AND TRANSPIRATION RATIO OF PINEAPPLE
M. C. Joshi, John S. Boyer, and Paul J. Kramer

179–181 MALONATE BIOSYNTHESIS VIA OXALOACETATE IN PLANT TISSUES
H. E. Pattee and L. M. Shannon

181–185 TRANSLOCATION OF CESIUM-137 FROM PARENT TREES TO SEEDLINGS OF *LIRIODENDRON TULIPIFERA*
J. P. Witherspoon and G. N. Brown

186–194 ABSORPTION AND TRANSLOCATION OF BORON BY SUNFLOWER PLANTS
John G. Husa and Wayne J. McIlrath

195–200 VOLATILE MATERIALS PRODUCED BY *SALVIA LEUCOPHYLLA:* EFFECTS ON SEEDLING GROWTH AND SOIL BACTERIA
Walter H. Muller

200–204 RELATIONSHIP BETWEEN ETHYLENE PRODUCTION AND RIPENING IN BANANAS
Stanley P. Burg and Ellen A. Burg

204–208 MORPHOLOGICAL AND HISTOCHEMICAL STUDIES OF PRIMARY ROOT MERISTEM OF *RAUWOLFIA VOMITORIA*
Abdul J. Mia and Suman M. Pathak

209–214 ESSENTIAL OILS AS TAXONOMIC CRITERIA IN *BOTHRIOCHLOA*
J. M. J. de Wet and B. D. Scott

214–221 GROWTH OF *LEMNA* IN H_2O-D_2O MIXTURES: ENHANCEMENT BY KINETIN
Benjamin T. Cope, Shakuntala Bose, Henry L. Crespi, and Joseph J. Katz

221–222 ESTERASES IN EXTRACTS FROM GERMINATING SEEDS OF TWELVE PEA VARIETIES
Trina N. Frankel and E. D. Garber

223–225 THE GENUS *COLLINSIA*. XXVII. SEPARATION OF ESTERASES AND ACID PHOSPHATASES IN EXTRACTS FROM TWELVE SPECIES AND ONE INTERSPECIFIC HYBRID BY STARCH-GEL ZONE ELECTROPHORESIS
Joan I. Wennstrom and E. D. Garber

226–232 INTERSPECIFIC CROSSES AMONG *IPOMOEA LACUNOSA*, *I. RAMONI*, *I. TRICHOCARPA*, AND *I. TRILOBA*
Alfred Jones and M. T. Deonier

233–246 OBSERVATIONS ON INDIVIDUAL CALLUS CELLS OF *NICOTIANA TABACUM* IN LIQUID CULTURE
Ernest Ball and P. C. Joshi

246–252 INFLUENCE OF EXCISED BARLEY ROOTS AND ASSOCIATED BACTERIA ON ORGANIC CHEMICALS IN AQUEOUS SOLUTIONS
Thomas M. Ward, Robert P. Upchurch, and Frederick T. Corbin

252–255 ROOT-GRAFTING IN LOBLOLLY PINE
Lee Miller and Frank W. Woods

255–259 RELATIONSHIP BETWEEN ETHYLENE EVOLUTION AND LEAF ABSCISSION
Bernard Rubinstein and F. B. Abeles

260–269 COMPARISON AND INTERPRETATION OF SEROLOGICAL DATA IN THE MAGNOLIACEAE
M. A. Johnson and D. E. Fairbrothers

269–275 MORPHOLOGY, CYTOLOGY, AND FERTILITY OF SYNTHETIC HYBRIDS OF *AGROPYRON SPICATUM* × *AGROPYRON DASYSTACHYUM-RIPARIUM*
Douglas R. Dewey

275–281 OBLIGATE APOGAMY IN *CHEILANTHES TOMENTOSA* AND *C. ALABAMENSIS*
Dean P. Whittier

281–298 CYTOHISTOLOGICAL STUDIES OF THE APICAL MERISTEM OF *AMARANTHUS RETROFLEXUS* UNDER VARIOUS PHOTOPERIODIC REGIMES
Arlette Nougarède, Ernest M. Gifford, Jr., and Pierre Rondet

GENERAL INDEX

A

Abeles, F. B., Relationship between ethylene evolution and leaf abscission 255
Abies balsamea, changes in moisture contents and dry weights of buds and leaves 20
Abscission, leaf, relationship to ethylene evolution 255
Absorption of boron by sunflower plants 186
Acer rubrum, A. saccharum, root-pressure exudation from detopped root systems 108
Acer saccharum, changes in moisture contents and dry weights of buds and leaves 20
Adams, Paul A., On nature of intercalary growth and cellular differentiation in internodes of Avena sativa 1
Agropyron, morphology, cytology, and fertility of synthetic hybrids of A. spicatum × A. dasystachyum-riparium 269
Air pollution, effect of peroxyacetyl nitrate on ultrastructure of chloroplasts 66
Amphidiploids of Collinsia, evidence for preferential pairing 130
Ananas comosus, *see* Pineapple
Anatomy, cytological chimaeras of Vicia faba roots 149; epidermal silica cells in the Cyperaceae 53; intercalary growth and cellular differentiation in internodes of Avena 1; structure of apex of Amaranthus retroflexus under various photoperiodic regimes 281; vascular, of flower of Potamogetonaceae 137
Antheridia of drynarioid ferns 46
Apogamy, obligate, in Cheilanthes tomentosa and C. alabamensis 275
Archegonia of drynarioid ferns 46
Arekal, Govindappa D., Embryology of Mimulus ringens 58
Asclepias curassavica, nectar system 144
Ascocarp development and structure in Preussia typharum 123
Ascorbic acid, dehydroascorbic acid, and ascorbic acid oxidase fluctuations in Shamouti orange fruit 31
Aspergillus niger, used in sulfur bioassay 120
Auxin, effect on radiation-induced dormancy in seeds of Phacelia tanacetifolia 163
Avena sativa, nature of intercalary growth and cellular differentiation in internodes 1

B

Bacteria, associated with excised barley roots, effect on organic chemicals in aqueous solutions 246; soil, as affected by volatile materials produced by Salvia leucophylla 195
Bacterial systems as affected by surfactants 86
Ball, Ernest, Observations on individual callus cells of Nicotiana tabacum in liquid culture 233
Banana, relationship between ethylene production and ripening 200
Barley, effect of excised roots on organic chemicals in aqueous solutions 246
Base ratios in nucleic acids of contrasting zones of tissue differentiation in germinating Mimosa seedlings 167
Basswood, *see* Tilia
Bean, broad, *see* Vicia faba; mobility of boron 27; relation between leaf abscission and ethylene evolution 255; structure of chloroplasts as affected by peroxyacetyl nitrate 66
Bell, Thomas A., Pectinase and cellulase enzyme inhibitor from sericea and certain other plants 40
Ben-Shaul, Yehuda, Development and structure of carotene bodies in carrot roots 79
Beraha, L., Genetics of phytopathogenic fungi. XIII. Pectolytic and cellulolytic enzymes of three phytopathogenic Penicillia 36
Beta vulgaris chicla, mobility of boron 27
Betula papyrifera, changes in moisture contents and dry weights of buds and leaves 20
Betula populifolia, root-pressure exudation from detopped root systems 108
Bioassay for sulfur, using Aspergillus niger 120
Birch, *see* Betula
Boron, absorption and translocation by sunflower plants 186; mobility in several dicotyledonous species 27
Bose, Shakuntala, Growth of Lemna in H_2O-D_2O mixtures: enhancement by kinetin 214
Bothriochloa, essential oils as taxonomic criteria 209
Boyer, John S., Growth, carbon dioxide exchange, transpiration, and transpiration ratio of pineapple 174
Brassica, *see* Turnip
Bromus tectorum, mineral content as affected by greasewood and hopsage canopies 116
Brown, Gregory N., Quantitative studies of nucleic acids in controlling zones of tissue differentiation in germinating Mimosa seedlings 167; translocation of cesium-137 from parent trees to seedlings of Liriodendron tulipifera 181
Buds, of forest trees, changes in moisture contents and dry weights 20
Burg, Ellen A., and Stanley P. Burg, Relationship between ethylene production and ripening in bananas 200

C

Callus cells, individual, observed in liquid culture 233
Carbohydrates, fluctuations in reducing sugars in Shamouti orange fruit 31
Carbon dioxide exchange in pineapple 174
Carotene bodies in carrot roots, development and structure 79
Cassell, Sandra J., On nature of intercalary growth and cellular differentiation in internodes of Avena sativa 1
Catalase, fluctuations in activity in Shamouti orange fruit 31
Cell division, in individual tobacco callus cells 233; in internodes of Avena 1
Cell elongation in internodes of Avena 1
Cellulase inhibitor from sericea 40
Cellulolytic activity of three phytopathogenic Penicillia 36
Cesium-137, translocation from parent trees to seedlings of Liriodendron 181
Chard, *see* Beta
Cheatgrass, *see* Bromus tectorum
Cheilanthes tomentosa and C. alabamensis, obligate apogamy 275
Chimaeras, cytological, in roots of Vicia faba 149
Chloroplasts, effects of peroxyacetyl nitrate on ultrastructure 66
Chromosome number, in Cheilanthes tomentosa and C. alabamensis 275; in Preussia typharum 123
Citrus, *see* Orange
Clausen, J. Johanna, Changes in moisture contents and dry weights of buds and leaves of forest trees 20
Clutter, Mary E., Meiosis and sporogenesis in excised fern leaves grown in sterile culture 72
Cocklebur, *see* Xanthium
Colchicine, used to induce cytological chimaeras in roots of Vicia faba 149

Collinsia, evidence for preferential pairing in two amphidiploids and two triploid interspecific hybrids 130; separation of esterases and acid phosphatases in extracts from 12 species and one interspecific hybrid by starch-gel electrophoresis 223; taxonomic status of C. stricta Greene 133
Cope, Benjamin T., Growth of Lemna in H_2O-D_2O mixtures: enhancement by kinetin 214
Corbin, Frederick T., Influence of excised barley roots and associated bacteria on organic chemicals in aqueous solutions 246
Cotton, mobility of boron 27
Crankshaw, William B., Soil relations and distribution map of the vegetation of presettlement Indiana 155
Crespi, Henry L., Growth of Lemna in H_2O-D_2O mixtures: enhancement by kinetin 214
Crystal of carotene in proplastids of carrot root 79
Cucumber, mobility of boron 27; seedlings, test organisms for phytocidal activity of lichen extract 100, used to test effects of volatile materials produced by Salvia leucophylla 195
Cucumis, *see* Cucumber
Cyperaceae, epidermal silica cells 53
Cytochemistry, *see* Histochemistry
Cytology, chimaeras of roots of Vicia faba 149; evidence for preferential pairing in two amphidiploids and two triploid interspecific hybrids of Collinsia 130; of Collinsia stricta and its hybrids with 10 other species 133; of four species of Ipomoea and three hybrids 226; of Preussia typharum 123; of synthetic hybrids of Agropyron spicatum × A. dasystachyum-riparium 269

D

Davidson, D., Cytological chimaeras in roots of Vicia faba 149
Deonier, M. T., Interspecific crosses among Ipomoea lacunosa, I. ramoni, I. trichocarpa, and I. triloba 226
Deuterium, growth of Lemna in H_2O-D_2O mixtures and its enhancement by kinetin 214
de Wet, J. M. J., Essential oils as taxonomic criteria in Bothriochloa 209
Dewey, Douglas R., Morphology, cytology, and fertility of synthetic hybrids of Agropyron spicatum × Agropyron dasystachyum-riparium 269
Differentiation, cellular, in internodes of Avena 1; zones with contrasting degrees of, quantitative studies of nucleic acids in Mimosa seedlings 167
Diospyros, *see* Persimmon
DNA, *see* Nucleic acid
Dormancy, radiation-induced, relief in seeds of Phacelia tanacetifolia 163
Dry weight changes in buds and leaves of forest trees 20
Duckweed, *see* Lemna
Dugger, W. M., Jr., Effects of peroxyacetyl nitrate on ultrastructure of chloroplasts 66

E

Ecology, soil relations and distribution of vegetation in presettlement Indiana 155
Electron-microscope study, of carotene bodies of carrot root 79; of chloroplasts affected by air pollutant 66
Electrophoresis, detection of esterases in extracts of germinating seeds of 12 pea varieties 221; separation of esterases and acid phosphatases in extracts of 12 species and one interspecific hybrid of Collinsia 223
Elongation of seminal roots of germinating wheat as affected by galacturonic acid 79
Embryology and endosperm development of Mimulus ringens 58
Enzymatic activity, fluctuations in Shamouti orange fruits during a 24-hour cycle 31
Enzyme, activity as affected by surfactants 86; capable of converting oxaloacetate to malonate, distribution in plant species and tissues 179; esterases in extracts from germinating seeds of 12 pea varieties 221; pectolytic and cellulolytic, in three phytopathogenic Penicillia 36; separation of esterases and acid phosphatases in extracts from 12 species and one interspecific hybrid of Collinsia by starch-gel zone electrophoresis 223; *see also* 5-Nucleotidase *and* Peroxidase
Enzyme inhibitor, pectinase and cellulase from sericea 40
Epidermis, differentiation in internodes of Avena 1; silica cells in the Cyperaceae 53
Esterases, in extracts of germinating seeds of 12 pea varieties 221; separation in extracts of 12 species and one interspecific hybrid of Collinsia by starch-gel electrophoresis 223
Etchells, John L., Pectinase and cellulase enzyme inhibitor from sericea and certain other plants 40
Ethylene evolution, relationship with leaf abscission 255
Ethylene production, relation to ripening in bananas 200

F

Fairbrothers, D. E., Comparison and interpretation of serological data in the Magnoliaceae 260
Ferns, drynarioid, gametophytes and juvenile leaves 46; meiosis and sporogenesis in excised leaves grown in sterile culture 72; obligate apogamy in Cheilanthes tomentosa and C. alabamensis 275
Fertility, of interspecific hybrids involving Collinsia stricta 133; of synthetic hybrids of Agropyron spicatum × A. dasystachyum-riparium 269; of two amphidiploids and two triploid interspecific hybrids of Collinsia 130
Fir, *see* Abies
5-Nucleotidase, presence in root-hair trichoblasts of Rauwolfia 204
Flower, organography and vascular anatomy in Potamogetonaceae 137
Forest types in presettlement Indiana 155
Frankel, Trina N., Esterases in extracts from germinating seeds of 12 pea varieties 221
Fruit, cesium-137 concentration changes in Liriodendron 181; Shamouti orange, fluctuations in peel tissue components and enzymatic activities during a 24-hour cycle 31; tomato, IAA transport in pedicels and relation to growth 13
Fungi, Aspergillus niger used in sulfur bioassay 120; development and cytology of Preussia typharum 123; pectolytic and cellulolytic enzymes of three phytopathogenic Penicillia 36
Fungicidal activity of extract of Umbilicaria papulosa 100

G

Galacturonic acid, opposite effects on initial versus subsequent elongation of seminal roots of germinating wheat 97
Galil, J., Nectar system of Asclepias curassavica 144
Gametophytes, of Cheilanthes tomentosa and C. alabamensis 275; of drynarioid ferns 46; of Mimulus ringens 58
Garber, E. D., Esterases in extracts from germinating seeds of 12 pea varieties 221; Genetics of phytopathogenic fungi. XIII. Pectolytic and cellulolytic enzymes of three phytopathogenic Penicillia 36; The genus Collinsia. XXIV. Taxonomic status of C. stricta Greene 133; XXV. Additional evidence for preferential pairing in two amphidiploids and two triploid interspecific hybrids 130; XXVII. Separation of esterases and acid phosphatases in extracts from 12 species and one interspecific hybrid by starch-gel electrophoresis 223
Germination of seeds of Phacelia tanacetifolia, inhibited by irradiation and inhibition relieved by gibberellic acid 163
Gibberellic acid, effect on IAA transport in tomato pedicels 13; relief of radiation-induced dormancy in seeds of Phacelia tanacetifolia 163

Gifford, Ernest M., Jr., Cytohistological studies of the apical meristem of Amaranthus retroflexus under various photoperiodic regimes 281
Glomerella, test organism for fungicidal activity of lichen extract 100
Glucose, effect on primary and seminal roots of germinating wheat 97
Gordon, Myra, Two types of growth inhibitors in extracts of Umbilicaria papulosa 100
Goren, R., Fluctuations in peel tissue components and enzymatic activities of Shamouti orange fruits during a 24-hour cycle 31
Gossypium, *see* Cotton
Grafting, root, in loblolly pine 252
Grape, muscadine, source of pectinase and cellulase inhibitor 40; *see also* Vitis
Grasses, essential oils as taxonomic criteria in Bothriochloa 209; morphology, cytology, and fertility of synthetic hybrids of Agropyron spicatum × A. dasystachyum-riparium 269
Grayia spinosa, *see* Hopsage
Greasewood, sodium and potassium accumulation by leaves 116
Griffin, Claibourne E., Two types of growth inhibitors in extracts of Umbilicaria papulosa 100
Growth, intercalary, in internodes of Avena 1; of cucumber seedlings as affected by volatile materials produced by Salvia leucophylla 195; of Lemna in H_2O-D_2O mixtures: enhancement by kinetin 214; of pineapple 174; of tomato fruit, relation of IAA transport in pedicels 13
Growth inhibitors, two types in extracts of Umbilicaria papulosa 100
Growth regulators, effect on ethylene evolution and leaf abscission 255; *see also* Gibberellic acid, Indoleacetic acid, *and* Indolebutyric acid

H

Haber, Alan H., Opposite effects of galacturonic acid on initial versus subsequent elongation of seminal roots of germinating wheat 97
Hairs, prothallial and leaf, of drynarioid ferns 46
Helianthus, *see* Sunflower
Hemlock, *see* Tsuga
Histochemical tests for secretory activity in nectar system of Asclepias curassavica 144
Histochemistry, of primary root meristem in Rauwolfia 204; studies of the apical meristem of Amaranthus retroflexus under various photoperiodic regimes 281
Homothallism of Preussia typharum 123
Hopsage, sodium and potassium accumulation by leaves 116
Hordeum, *see* Barley
Husa, John G., Absorption and translocation of boron by sunflower plants 186
Hybrids, among four species of Ipomoea 226; of Agropyron spicatum × A. dasystachyum-riparium, morphology, cytology, and fertility 269; of Collinsia stricta with 10 other species 133; two triploid interspecific, in Collinsia, evidence for preferential pairing 130

I

Indoleacetic acid, transport in pedicels of tomato and its relation to fruit growth 13 oxidase, fluctuations in activity in Shamouti orange fruit 31
Indolebutyric acid, transport in tomato pedicels 13
Inhibitor, endogenous, of peroxidase catalyzed reactions 179; sodium azide, effect on root-pressure exudation 108
Ipomoea, interspecific crosses among I. lacunosa, I. ramoni, I. trichocarpa, and I. triloba 226
Isotopes, growth of Lemna in H_2O-D_2O mixtures and its enhancement by kinetin 214

J

Johnson, M. A., Comparison and interpretation of serological data in the Magnoliaceae 260
Jones, Alfred, Interspecific crosses among Ipomoea lacunosa, I. ramoni, I. trichocarpa, and I. triloba 226
Joshi, M. C., Growth, carbon dioxide exchange, transpiration, and transpiration ratio of pineapple 174
Joshi, P. C., Observations on individual callus cells of Nicotiana tabacum in liquid culture 233

K

Katta, M. I., Sulfur bioassay investigations with Aspergillus niger 120
Katz, Joseph J., Growth of Lemna in H_2O-D_2O mixtures: enhancement by kinetin 214
Kaufman, Peter B., On nature of intercalary growth and cellular differentiation in internodes of Avena sativa 1
Kinetin, enhancement of growth of Lemna in H_2O-D_2O mixtures 214
Klein, Shimon, Development and structure of carotene bodies in carrot roots 79
Kowalski, Donald T., Development and cytology of Preussia typharum 123
Kozlowski, Theodore T., Changes in moisture contents and dry weights of buds and leaves of forest trees 20
Kramer, Paul J., Growth, carbon dioxide exchange, transpiration, and transpiration ratio of pineapple 174

L

Leaf abscission, relationship to ethylene evolution 255
Leaves, fern, excised and grown in sterile culture, meiosis and sporogenesis 72; greasewood and hopsage, sodium and potassium accumulation 116; juvenile, of drynarioid ferns 46; of forest trees, changes in moisture contents and dry weights 20
Lemna, enhancement of growth in H_2O-D_2O mixtures by kinetin 214
Lespedeza, *see* Sericea
Lichens, two types of growth inhibitors in extracts of Umbilicaria papulosa 100
Light, *see* Photoperiod
Lindsey, Alton A., Soil relations and distribution map of the vegetation of presettlement Indiana 155
Liriodendron, serological correspondence with Magnolia 260
Liriodendron tulipifera, root-pressure exudation from detopped root systems 108; translocation of cesium-137 from parent tree to seedlings 181
Long, Terrill J., Opposite effects of galacturonic acid on initial versus subsequent elongation of seminal roots of germinating wheat 97
Lycopersicon, *see* Tomato
Lynd, J. Q., Sulfur bioassay investigations with Aspergillus niger 120

M

McDonough, Walter T., Relief of radiation-induced dormancy in seeds of Phacelia tanacetifolia 163
McIlrath, Wayne J., Absorption and translocation of boron by sunflower plants 186; mobility of boron in several dicotyledonous species 27
Magnolia, serological correspondence of 13 species and one variety 260
Magnoliaceae, serological interpretation of several taxa 260
Malonate biosynthesis via oxaloacetate in plant tissues 179

Manglietia, serological correspondence with Magnolia 260
Map of distribution of vegetation in presettlement Indiana 155
Maple, *see* Acer
Megasporogenesis of Mimulus ringens 58
Mehra, P. N., Epidermal silica cells in the Cyperaceae 53
Meiosis, in excised fern leaves grown in sterile culture 72; I, evidence for preferential pairing from two amphidiploids and two triploid interspecific hybrids of Collinsia 130
Meristem, apical, of Amaranthus retroflexus under various photoperiodic regimes 281; chimaerical root tips of Vicia faba 149; intercalary, in internodes of Avena 1; primary root of Rauwolfia, morphology and histochemistry 204
Mia, Abdul J., Morphological and histological studies of primary root meristem of Rauwolfia vomitoria 204
Michelia, serological correspondence with Magnolia 260
Microsporogenesis of Mimulus ringens 58
Miller, Erston V., Two types of growth inhibitors in extracts of Umbilicaria papulosa 100
Miller, Lee, Root-grafting in loblolly pine 252
Mimosa, quantitative studies of nucleic acids in contrasting zones of tissue differentiation in seedlings 167
Mimulus ringens, embryology 58
Mineral nutrition, absorption and translocation of boron by sunflower plants 186; mobility of boron in several dicotyledonous species 27
Moisture content, changes in buds and leaves of forest trees 20
Monilinia, test organism for fungicidal activity of lichen extract 100
Monselise, S. P., Fluctuations in peel tissue components and enzymatic activities of Shamouti orange fruits during a 24-hour cycle 31
Morphogenesis, nature of intercalary growth and cellular differentiation in internodes of Avena 1
Morphology, development of Preussia typharum 123; gametophytes and juvenile leaves of drynarioid ferns 46; gross, of two amphidiploids and two triploid interspecific hybrids of Collinsia 130; meiosis and sporogenesis in excised cultured fern leaves 72; obligate apogamy in Cheilanthes tomentosa and C. alabamensis 275; of floral nectar system in Asclepias curassavica 144; of flowers of Potamogetonaceae 137; of synthetic hybrids of Agropyron spicatum × A. dasystachyum-riparium 269; primary root meristem of Rauwolfia 204; *see also* Embryology
Muir, Robert M., Transport of indoleacetic acid in pedicels of tomato and its relation to fruit growth 13
Muller, Walter H., Volatile materials produced by Salvia leucophylla: effects on seedling growth and soil bacteria 195
Musa, *see* Banana
Mycelium of Preussia typharum 123

N

Nayar, B. K., Gametophytes and juvenile leaves of drynarioid ferns 46
Naylor, Aubrey W., Quantitative studies of nucleic acids in contrasting zones of tissue differentiation in germinating Mimosa seedlings 167
Nectar system and nectariferous activity of Asclepias curassavica 144
Nicotiana, *see* Tobacco
Nitrogen, deficiency, effect on capacity of sunflower plants to accumulate boron 186; total, fluctuations in Shamouti orange fruit 31
Norman, A. G., Considerations in the use of surfactants in plant systems: a review 86
Nougarède, Arlette, Cytohistological studies of the apical meristem of Amaranthus retroflexus under various photoperiodic regimes 281
Nucleic acids, quantitative studies in contrasting zones of tissue differentiation in germinating Mimosa seedlings 167

O

Oak, *see* Quercus
Oat, *see* Avena
Oil, essential, as taxonomic criteria in Bothriochloa 209
O'Leary, James W., Root-pressure exudation in woody plants 108
Orange, Shamouti, fluctuations in peel tissue components and enzymatic activities of fruits during a 24-hour cycle 31
Organic chemicals in aqueous solutions, as affected by excised barley roots and associated bacteria 246
Osmunda cinnamomea, meiosis and sporogenesis in excised cultured leaves 72
Oxaloacetate, as intermediate in malonate biosynthesis 179

P

Palmer, R. L., Effects of peroxyacetyl nitrate on ultrastructure of chloroplasts 66
Parr, J. F., Considerations in the use of surfactants in plant systems: a review 86
Pathak, Suman M., Morphological and histochemical studies of primary root meristem of Rauwolfia vomitoria 204
Pathogens, pectolytic and cellulolytic enzymes of three phytopathogenic Penicillia 36
Pattee, H. E., Malonate biosynthesis via oxaloacetate in plant tissues 179
Pea, esterases in extracts of germinating seeds of 12 varieties 221
Pectinase, inhibitor from sericea 40
Pectolytic activity of three phytopathogenic Penicillia 36
Penicillin-G and streptomycin, used together to control bacterial degradation of organic chemicals in aqueous solutions 246
Penicillium italicum, P. digitatum, P. expansum, pectolytic and cellulolytic enzymes 36
Peroxidase, fluctuations in activity in Shamouti orange fruit 31; present in root-hair trichoblasts of Rauwolfia 204
Peroxyacetyl nitrate, effect on ultrastructure of chloroplasts 66
Persimmon, source of pectinase and cellulase inhibitor 40
Phacelia tanacetifolia, relief of radiation-induced dormancy of seeds 163
Phaseolus, *see* Bean
Phosphatases, acid, separation in extracts of 12 species and one interspecific hybrid of Collinsia by starch-gel zone electrophoresis 223
Phosphorus-32 used to detect root graft in loblolly pine 252
Photoperiod, cytohistological studies of apical meristem of Amaranthus retroflexus under various regimes 281
Photosynthesis, effect on boron content of sunflower leaves 186; net, calculated rate in pineapple 174
Phytocidal activity of extract of Umbilicaria papulosa 100
Phytotoxic effects of surfactants 86
Picea glauca, root-pressure exudation from detopped root systems 108
Pigment, *see* Carotene
Pine, loblolly, root-grafting 252
Pineapple, growth, carbon dioxide exchange, transpiration, and transpiration ratio 174
Pinus strobus and P. resinosa, changes in moisture contents and dry weights of buds and leaves 20
Pinus taeda, root-pressure exudation from detopped root systems 108; *see also* Pine, loblolly
Pisum, *see* Pea
Plastids, crystallization of carotene in proplastids of carrot root 79

Polyploid cells in root chimaeras of Vicia faba 149
Potamogetonaceae, vascular anatomy of flower 137
Potassium accumulation by greasewood and hopsage leaves 116
Preussia typharum, development and cytology 123
Proteins as affected by surfactants 86
Prothallus, of Cheilanthes tomentosa and C. alabamensis 275; of drynarioid ferns 46

Q

Qadir, Syed A., Soil relations and distribution of the vegetation of presettlement Indiana 155
Quercus rubra and Q. ellipsoidalis, changes in moisture contents and dry weights of buds and leaves 20

R

Radiation, relief of radiation-induced dormancy in seeds of Phacelia tanacetifolia 163
Radioisotopes, cesium-137, translocation from parent trees to seedlings of Liriodendron 181; P^{32} used to detect root grafts in loblolly pine 252
Rauwolfia vomitoria, morphological and histochemical studies of primary root meristem 204
Reproductive apex, structure and histochemistry in Amaranthus retroflexus 281
Rickard, W. H., Sodium and potassium accumulation by greasewood and hopsage leaves 116
Ripening in bananas, relation to ethylene production 200
RNA, *see* Nucleic acids
Rondet, Pierre, Cytohistological studies of the apical meristem of Amaranthus retroflexus under various photoperiodic regimes 281
Root apex, chimaerical, in Vicia faba 149; primary, morphological and histochemical studies in Rauwolfia 204
Root-grafting in loblolly pine 252
Root hair, origin and development in Rauwolfia 204
Root-pressure exudation in woody plants 108
Roots, carrot, development and structure of carotene bodies 79; excised barley, effect on organic chemicals in aqueous solutions 246; of Vicia faba, cytological chimaeras 149; seminal, of germinating wheat, opposite effects of gallacturonic acid on initial versus subsequent elongation 97
Rubinstein, Bernard, Relationship between ethylene evolution and leaf abscission 255
Ruppia, *see* Potamogetonaceae

S

Salt concentration of root-pressure exudate from woody plants 108
Salvia leucophylla, effects of volatile materials produced on seedling growth and soil bacteria 195
Sarcobatus vermiculatus, *see* Greasewood
Sastry, K. S. Krishna, Transport of indoleacetic acid in pedicels of tomato and its relation to fruit growth 13
Schaefers, Thomas, Two types of growth inhibitors in extracts of Umbilicaria papulosa 100
Scott, B. D., Essential oils as toxonomic criteria in Bothriochloa 209
Secretory activity in nectar system of Asclepias curassavica 144
Sedges, *see* Cyperaceae
Seed, germinating, esterases in extracts of 12 pea varieties 221; of Phacelia tanacetifolia, relief of radiation-induced dormancy 163
Seedling growth as affected by volatile materials produced by Salvia leucophylla 195
Seedlings, Liriodendron, translocation and distribution of cesium-137 derived from parent tree 181; Mimosa, quantitative studies of nucleic acids in contrasting zones of tissue differentiation 167
Sericea, source of pectinase and cellulase inhibitor 40
Serology, used with selected taxa of Magnoliaceae 260
Shaeffer, Susan G., Genetics of phytopathogenic fungi. XIII. Pectolytic and cellulolytic enzymes of three phytopathogenic Penicillia 36
Shannon, L. M., Malonate biosynthesis via oxaloacetate in plant tissues 179
Sharma, O. P., Epidermal silica cells in the Cyperaceae 53
Shoot apex of Amaranthus retroflexus, histochemistry and structure under various photoperiodic regimes 281
Silica cells in epidermis of Cyperaceae 53
Singh, V., Morphological and anatomical studies in Helobiae. II. Vascular anatomy of the flower of Potamogetonaceae 137
Smart, William W. G., Jr., Pectinase and cellulase enzyme inhibitor from sericea and certain other plants 40
Sodium accumulation by greasewood and hopsage leaves 116
Soil relations and distribution of vegetation in presettlement Indiana 155
Soil sulfur levels assayed with Aspergillus niger 120
Spores, of drynarioid ferns 46; of Preussia typharum 123
Sporogenesis in excised fern leaves grown in sterile culture 72
Spruce, *see* Picea
Stimulatory effects of surfactants 86
Streptomycin and penicillin-G used together to control bacterial degradation of organic chemicals in aqueous solutions 246
Suberization of root systems, effect on root-pressure exudation 108
Sulfur bioassay investigations with Aspergillus niger 120
Sunflower, absorption and translocation of boron 186; mobility of boron 27
Surfactants for use in plant systems, review 86
Sussex, Ian M., Meiosis and sporogenesis in excised fern leaves grown in sterile culture 72

T

Talauma, serological correspondence with Magnolia 260
Taxonomy, biochemical, esterases and acid phosphatases in extracts from 12 species and one interspecific hybrid of Collinsia 223; essential oils as taxonomic criteria in Bothriochloa 209; interpretation of serological data in the Magnoliaceae 260; significance of type of epidermal silica cells in the Cyperaceae 53; status of Collinsia stricta Greene 133
Temperature effects on root-pressure exudation 108
Thomson, William W., Effects of peroxyacetyl nitrate on ultrastructure of chloroplasts 66
Tilia americana, changes in moisture contents and dry weights of buds and leaves 20
Tissue culture, growth of excised tomato ovaries in vitro 13; individual tobacco callus cells observed in liquid culture 233; meiosis and sporogenesis in excised cultured fern leaves 72
Tobacco, mobility of boron 27; observations on individual callus cells in liquid culture 233
Tomato, mobility of boron 27; transport of IAA in pedicels and its relation to fruit growth 13
Transition from vegetative to reproductive apex in Amaranthus retroflexus 281
Translocation, of boron by sunflower plants 186; of cesium-137 from parent trees to seedlings of Liriodendron 181; of IAA in tomato pedicels and relation to fruit growth 13
Transpiration, of pineapple 174; ratio, of pineapple 174; stream reversal, effect on translocation of boron in sunflower 186
Triploids of Collinsia, evidence for preferential pairing 130
Triticum, *see* Wheat

Tsuga canadensis, changes in moisture contents and dry weights of buds and leaves 20
Tuliptree, *see* Liriodendron
Turnip, mobility of boron 27

U

Ultrastructure of chloroplasts as affected by peroxyacetyl nitrate 66
Umbilicaria papulosa, two types of growth inhibitors in extracts 100
Unni, M. K., The genus Collinsia. XXIV. Taxonomic status of C. stricta Greene 133
Upchurch, Robert P., Influence of excised barley roots and associated bacteria on organic chemicals in aqueous solutions 246

V

Vascular anatomy of flower of Potamogetonaceae 137
Vegetation of presettlement Indiana 155
Venation of juvenile leaves of drynarioid ferns 46
Vicia faba, cytological chimaeras of roots 149
Virulence of three Penicillia related to pectolytic and cellulolytic activity 36
Vitis labrusca, root-pressure exudation from detopped root systems 108; *see also* Grape
Volatile materials produced by Salvia leucophylla, effects on seedling growth and soil bacteria 195

W

Ward, Thomas M., Influence of excised barley roots and associated bacteria on organic chemicals in aqueous solutions 246
Water relations, changes in moisture contents of buds and leaves of forest trees 20; leaf moisture content of greasewood and hopsage during leaf retention period 116
Wennstrom, Joan I., The genus Collinsia. XXVII. Separation of esterases and acid phosphatases in extracts from 12 species and one interspecific hybrid by starch-gel zone electrophoresis 223
Wheat, germinating, opposite effects of galacturonic acid on initial versus subsequent elongation of seminal roots 97
Whittier, Dean P., Obligate apogamy in Cheilanthes tomentosa and C. alabamensis 275
Witherspoon, J. P., Translocation of cesium-137 from parent trees of seedlings of Liriodendron tulipifera 181
Woods, Frank W., Root-grafting in loblolly pine 252

X

Xanthium, mobility of boron 27

Z

Zannichellia, *see* Potamogetonaceae
Zeroni, M., Nectar system of Asclepias curassavica 144